




The Rubber & Resin Specialists

EQUINE, AGRICULTURAL, LEISURE, PLAY & COMMERCIAL RUBBER MATTING & RESINS



Rubber Matting & Resin Product Catalogue 2022



All prices are plus VAT and Delivery

Quattro Products Limited, Milestone House Ind Est, Penrith, Cumbria, CA11 9NQ

Tel: 01768864977 Email: enq@quattorubberandresin.co.uk Web: www.quattorubberandresin.co.uk

Over the last 30 years Quattro have built up an excellent reputation as the UK's leading supplier and fitters of High Quality rubber matting. As we import most of our products in large quantities we can offer a very competitive price to our customers.

Our main market is Equine and Agricultural. Safety, hygiene & animal welfare are our main priority as the majority of our mats are made for comfort & slip resistance.

You will notice in our price list that Mpa is mentioned a lot next to our rubber matting. This is the Tensile Strength of the rubber. The Tensile Strength is the force required to cause the rupture of a rubber material and is expressed in Megapascals (Mpa). Solid rubber with a higher Mpa reading indicates a better quality of material.

Most stable mats in the UK are 2.5 to 3Mpa whereas Quattro's are up to 5Mpa

We also offer rubber products for gyms, play areas and factories with our products fitted we can guarantee a practical, hard wearing, safe and attractive surface.

We are continually expanding our range of products therefore we are able to offer the best products for our customers needs.

We also have 'In House Fitters' that fit our rubber products nationwide.

CONTENTS INDEX:

1. Stable Mats - Parlour Mats - Silage Pit Mats - Gym Mats
 2. Parlour Mats - Cubicle Mats - Gym Mats
 3. Eva Mats & Capping - Cow Mattresses - Parlour Pit Tiles - Play Tiles
 4. Hollow Mats - Utility Mats - Silage Pit Mats - Dog Bone Pavers - Brick Effect Tiles
 5. Rubber Rolls - Ramp Matting - Horsebox Ramp Mats - Chevron Roll - Walker Wall Roll
 6. Sportsroll - Acoustic Roll - Interlocking Puzzle Tile
 7. PVC Doorway Strips - Stockboard - Polypillow - Plastic Wall & Ceiling Boards
 8. Silage Pit Coatings & Concrete Repair Materials
 9. Roof Coatings & Repair
 10. Resin Floor & Wall Coatings/Screeds
 11. Rubber Adhesives - Resin Binders - Sealants
 12. Rubber & Stone Kits
 13. Aggregates - Rubber Granules - Stone - Ancillaries
- Back Page. Delivery Information

S/E = Straight Edge INT = Interlocking Edge


The Rubber & Resin Specialists

HAMMERTOP & AMOEBIC MAT

3Mpa Standard density solid rubber mats for Stables, Gyms and Young Stock in 17mm. 12mm can be used for Transport & Silage Mats.

Thickness	Dimensions	Item Code
12mm	1.8m x 1.2m	QR01
17mm	1.8m x 1.2m	QR02

HAMMERTOP



AMOEBIC



12mm used as Silage Pit Mats

SUPERMAT (4Mpa)

Quattro's Superior High Density Solid rubber mat for Stables, Walkways and Gyms. Used with our Bonded & Sealed Mat System.

Thickness	Dimensions	Item Code
18mm	1.8m x 1.2m	QR03
22mm	1.8m x 1.2m	QR04



QUATTROMAT (4Mpa)

Very High Density Solid rubber mat for Stables, Washbays, Walkways and Young Stock plus a very good lower cost option for Parlour floors. Used with our Bonded & Sealed Mat System

Thickness	Dimensions	Item Code
18mm	1.8m x 1.2m	QR05



DIAMOND MAT (5Mpa)

Very Heavy Duty Grip Mat for Stables, Washbays & Walkways. Can also be used for Milking Parlour floors. Used with our Bonded & Sealed Mat System

Thickness	Dimensions	Item Code
22mm S/E	1.8m x 1.2m	QR06



The Rubber & Resin Specialists

THE DIAMOND BEAST MAT (8Mpa) INTERLOCKING 6'x4'

Extremely high density interlocking rubber mat for Parlour Floors, Collecting Yards, Slats and Feed Passages. Also can be used in high wear Equine areas & Stocks.

Thickness	Dimensions	Item Code
22mm	1.8m x 1.2m	QR07



RUBBER COMFORT MAT (4Mpa) STRAIGHT EDGE 6'x4'

Cushioned rubber mat for Cow Cubicles and Stables.

Used with our Bonded & Sealed Mat System

Thickness	Dimensions	Item Code
25mm	1.8m x 1.2m	QR08



RUBBER COMFORT MAT (4Mpa) INTERLOCKING 6'x3'9"

Cushioned interlocking rubber mat for Cow Cubicles. Straight edged 1.15m wide available upon request at same cost.

Thickness	Dimensions	Item Code
25mm	1.8m x 1.14m	QR09



GRIP TOP TILE (5Mpa & 6Mpa)

Very High Density Interlocking rubber grip tile for Horse walkers, Stables, Walkways, Milking Parlours & Gyms

5Mpa Grip Pattern on one side and flat on the other and 6Mpa Grip Pattern on both sides


MPA	Thickness	Dimensions	Item Code
5Mpa	18mm	1m x 1m	QR10
6Mpa	18mm	1m x 1m	QR11



QUATTROSOFT EVA MAT

Lightweight soft Eva mat for Stable Walls

Thickness	Dimensions	Item Code
10mm	1.8m x 1.2m	QR12
25mm	1.8m x 1.2m	QR13
35mm	1.8m x 1.2m	QR14
45mm	1.8m x 1.2m	QR15
Hardwood Capping	2m Lengths x 25mm Thick	QR16



LUXURY COW MATTRESS

Waterproof, durable seamless Cow Mattress.

Includes Foams, Rubber Insertion Cover, Fixings & Rubber/Plastic Fixing Strips.


Thickness	Dimensions	Item Code
35mm	1.7m wide	QR17
4mm Cover Only	2m wide	QR18
Poly Pillow	1.22m	See Page 7



PARLOURSOFT/PLAYSOFT TILES

Interlocking 1m² Eva Tiles for comfort and safety under foot in Milking Parlour Pits and Children's Play Areas and Gyms

Thickness	Dimensions	Item Code
20mm	1m x 1m	QR19
30mm	1m x 1m	QR20
40mm	1m x 1m	QR21



20mm & 40mm Blue/Red



30mm Green/Grey

The Rubber & Resin Specialists

HOLLOW MATS - SILAGE PIT MATS

Ideal for Silage and Maize Pits. Environmentally friendly alternative to tyres. Weight = 13kg
Hollow ring mat for use in Gateways and Children's Play Areas. Pegs & Ties available.

Thickness	Dimensions	Item Code
22mm	1.5m x 1m	QR22
150mm	PVC Anchor Pegs	QR23



UTILITY MATS - SILAGE PIT MATS

Ideal for Silage and Maize Pits. Environmentally friendly alternative to tyres. Weight = 18kg
Also designed as Anti-Fatigue, Anti-Slip Workstation Mats with bevelled edges.

Thickness	Dimensions	Item Code
11mm	1.8m x 1.2m	QR24



DOG BONE RUBBER PAVERS

High density rubber pavers for Horsewalkers, Walkways, Stable Yards and Racecourses.
35 N^o per m². Size per paver 200mm x 165mm




Thickness	Colour	Item Code
43mm	Black	QR25
43mm	Red	QR26
43mm	Green	QR27



HORSE TILES - Black & Red

High density rubber horse tile for use on Walkways, Stable Barn Passages and Equine Bridges.
20mm Solid Base & 40mm with 15mm Raster Base
Plain Top or Brick Effect

Thickness	Dimensions	Item Code
20mm	500mm x 500mm	QR28
40mm	500mm x 500mm	QR29



HEAVY DUTY RUBBER ROLLS

Hard wearing rubber in a roll for Walkways and Transport. Part rolls available.

NR = Nylon Reinforcing through centre

Thickness	Dimensions	Item Code
6mm	10m x 1.8m	QR30
10mm	11m x 2m	QR31
10mm NR	20m x 2.4m	QR32
15mm NR	20m x 2.4m	QR33



GRIP TOP RAMP MATTING

Heavy duty reinforced textured ramp matting for Lorry and Trailer ramps. Cut to length required.


Thickness	Dimensions	Item Code
5mm	1.2m wide	QR34
5mm	1.5m wide	QR35



RUBBER TRAILER RAMP MATS

Solid rubber 17mm ramp mat with grip lines and raised 10mm cleats for Lorry and Trailer ramps.

Thickness	Dimensions	Item Code
17mm	2.1m x 1.22m	QR36



Chevron Roll & Walker Wall Roll

Chevron Roll is used for ramps in equine pools and on yards for equine and agricultural use. 8mm thick with 6mm cleats.

Walker Wall Roll is a 10mm thick smooth finish, reinforced heavy duty rubber roll for fitting to Horse Walker walls.

Product	Thickness	Dimensions	Item Code
Chevron Roll	10mm	1.8m Wide	QR37
Walker Wall Roll	10mm	1.2m Wide	QR38



Alternative widths & thicknesses available - Price upon request

Chevron Roll

Walker Wall Roll

SPORTS ROLL

Durable & attractive rubber in a roll for Gyms, Stable Barn Passageways, Stable Walls & Vets. Available in standard colours of Black with 20% Red, Green, Blue, Grey/White Fleck or Black Only .

Thickness	Dimensions	Colour	Item Code
4mm	10m x 1.25m	20% Colour	QR39
6mm	10m x 1.25m	Black	QR40
10mm	10m x 1.25m	Black	QR41
6mm	10m x 1.25m	20% Colour	QR42
10mm	10m x 1.25m	20% Colour	QR43



ACOUSTIC ROLL - BLACK

Acoustic and vibration reducing rubber underlay

Thickness	Dimensions	Item Code
6mm	10m x 1.25m	QR44
10mm	6m x 1.25m	QR45
15mm	6m x 1.25m	QR46



INTERLOCKING SPORTS TILE

Interlocking rubber tile - black with coloured fleck surface for Gyms, Ice Rinks, Dog Exercise Areas and Stable Barn Walkways etc. Can be bonded to subbase.

Standard Colour - Grey Fleck

Blue, Red & Green Fleck available to order

Thickness	Dimensions	Item Code
10mm	1m x 1m	QR47




PLASTIC PRODUCTS

DOORWAY/EDGING STRIPS

PVC Strips for finishing in doorways and along drains

Product	Dimensions	Item Code
15mm Doorway Strips Tri	2.4m	QR48
10mm Doorway Strips Flat	2.4m x 23mm	QR49



STOKBOARD (Black)

Recycled plastic board with embossed surface for Stable and Animal Enclosure Walls/Gates

Thickness	Dimensions	Item Code
6mm	2.4m x 1.2m	QR50
9mm	2.4m x 1.2m	QR51
12mm	2.4m x 1.2m	QR52



POLY PILLOW

Recycled ¼ inch thick plastic with tongue and groove

Length	Weight	Item Code
1.22m	3.2kg	QR53



QUATTRO WALL & CEILING BOARDS

Polypropylene wall boards (blue/white) & PVC tongue & groove ceiling boards (white) for Parlours and Dairies.

Product	Dimensions	Item Code
3mm Quattroboard Whiter	2.4m x 1.2m	QR54
3mm Quattroboard Blue	2.4m x 1.2m	QR55
Ceiling Boards	3m x 250mm	QR56
Ceiling Boards	5m x 250mm	QR57



Fixings, Divisions Bars & Edge Strips are all extra to these boards. Please enquire for an all in cost.

SILAGE PIT COATINGS - REPAIR MATERIALS - CONCRETE REPAIR

QPOL SA

Styrene Acrylate additive for cementitious mixes that provides a very strong surface for repairing silage pit floors, walls and in yards.

Size	Coverage	Item Code
5L	N/A	QT58
10L	N/A	QT59
20L	N/A	QT60

QSEAL

Chemical Resistant clear/brown resin for silage pit walls and concrete surfaces. Can be applied by roller or airless spray

Size	Coverage	Item Code
5L	40m ²	QT61
25L	200m ²	QT62

HYTECT

High strength twin pack flexible chemical resistant coating for silage pits. Colour Black. Roller & Brush applied

Size	Coverage	Item Code
5kg	10m ²	QT63

NITOSEAL GREY

High strength gun applied flexible joint sealant for silage pit floors and walls.

Size	Coverage	Item Code
600ml Sausage	10mm x 10mm Joint = 6 ln mts	QT64
Box of 10		QT65

CORROSEAL

Zinc rich primer for cold galvanising iron and steel. Suitable for all ferrous metals.

Size	Coverage	Item Code
1lt	14m ²	QT66

EXPAND P or V

Twin pack flexible Pourable or Viscous resin for floor joints.

Size	Coverage	Item Code
5kg	10mm x 10mm Joint = 50 ln mts	QT67

SPEEDSCREED HD

Heavy duty rapid setting concrete floor repair material for Milking Parlours, Dairies, Yards & Factories.

Size	Coverage	Item Code
25kg	2.5m ² @ 5mm	QT68

CEMENTONE RAPID SET SCREED

Easy to use rapid setting concrete repair. Can be feather edged. 1 hour cure.

Size	Coverage	Item Code
10kg	1m ² @ 5mm	QT69

TROUGH RESURFACER

Extra strong cementitious self levelling screed for resurfacing concrete troughs and feed passages.

Size	Coverage	Item Code
12kg	1.25m ² @ 5mm	QT70
24kg	2.5m ² @ 5mm	QT71

FLOOR REPAIR

PU resin floor repair material that can be feather edged.

Size	Coverage	Item Code
10kg	1m ² @ 5mm	QT72

FLOOR REPAIR COLOURED

Coloured version of above. Minimum order quantity = 20.

Size	Coverage	Item Code
10kg	1m ² @ 5mm	QT73

ROOF COATINGS AND REPAIR

Q/ROOF - Light Grey

The ultimate roof coating. High performance flexible polyurethane roof membrane coating. 2 coats required.

Size	Coverage	Item Code
25L	25m ² per coat	QT74

AQUATECT S - Black

Top class thixotropic bitumen roof coating. 2 coats required.

Can also be used as a damp proof membrane under concrete or as a tanking membrane.

Size	Coverage	Item Code
5L	10m ² per coat	QT75
25L	50m ² per coat	QT76

AQUATANK - Black

Thinner, easier to apply high bitumen content roof or tank coating. Provides an effective waterproof, weatherproof, corrosive resistant coating for steelwork, concrete and slurry tanks. 2 coats required.

Size	Coverage	Item Code
5L	40m ² per coat	QT77
25L	200m ² per coat	QT78

ALUTECT - Aluminium

Thixotropic aluminium reflective roof coating. Imparts excellent durability and protection against UV degradation and weathering to the roof. 2 coats required.

Size	Coverage	Item Code
25L	50m ² per coat	QT79

QROOF TAPE

For sealing over holes and cracks on all roof substrates.

Size	Item Code
100mm x 7.5m	QT80
100mm x 15m	QT81
150mm x 7.5m	QT82
150mm x 15m	QT83



AQUAFIL - Black

Thixotropic trowel grade gap/crack filler for roofs/gutters. Easy to apply by trowel.

Size	Coverage	Item Code
5L	N/A	QT84

Q/SOLVE

Solvent cleaner for use on application tools.

Size	Item Code
1L	QT85
5L	QT86



WALL & FLOOR RESINS

Q/TYLE GLOSS

Chemical & UV resistant wall coating

Size	Coverage	Item Code
2.5kg	15m ²	QT87

Q/TYLE PARLOUR PACK

3 coat pack for Parlours & Dairy Walls. Pack Includes:
1 x 2.5kg Primer & 2 x 2.5kg Q/Tyle Gloss

Size	Coverage	Item Code
7.5kg	15m ²	QT88

Q/TYLE DD1 CLEAR

Single Pack Clear Chemical & UV resistant wall coating.

Size	Coverage	Item Code
2.5L	25m ²	QT89
5L	50m ²	QT90

ELASTECT

Single Pack Elastomeric Co Polymer Emulsion wall coating
for Internal & External Walls.

Size	Coverage	Item Code
10kg	40m ²	QT91

RESIN SCREEDS & SELF LEVELLERS

Material	Size	Coverage	Item Code
Q/Prime TC	2.5kg	10m ²	QT92
Q/Prime DPM	5kg	20m ²	QT93
Q/Prime Metal	2.5L	30m ²	QT94
Q/Grip HD	28.66kg	5m ² @ 2mm	QT95
Q/Level	31kg	6m ² @ 2mm	QT96
Q/Crete RT	30.3kg	2.5m ² @ 6mm	QT97
Q/Crete HF	29.64kg	2.4m ² @ 6mm	QT98
Q/Crete CG	16.3kg	4.5m @ 100mm	QT99
Q/Crete TF	3.2kg	5m ²	QT100

COVERTECT PC GLOSS COLOURED

Easy to apply PU Floor coating. 2-3 coats.

Size	Coverage	Item Code
5kg	40m ²	QT101

Q/SHIELD SF COLOURED

Medium build solvent free epoxy floor coating—2 coats.

Size	Coverage	Item Code
2.5kg	12m ²	QT102
5kg	24m ²	QT103

Q/TECT COLOURED

High build coloured epoxy floor coating—2 coats.

Size	Coverage	Item Code
2.5kg	10m ²	QT104
5kg	20m ²	QT105

Q/TECT CLEAR

Clear epoxy floor coating.

Size	Coverage	Item Code
2.5kg	10m ²	QT106
5kg	20m ²	QT107

Q/DECK COLOURED

High build flexible PU floor coating—2 coats.

Size	Coverage	Item Code
2.5kg	10m ²	QT108
5kg	20m ²	QT109

Q/FLEX 500 UVR COLOURED

UV Resistant high build flexible PU coating. 2 coats

Size	Coverage	Item Code
5kg	15m ²	QT110

RUBBER ADHESIVES - BINDERS - SEALANTS

MATBOND

Flexible single pack adhesive for bonding rubber pavers & tiles Coverage 2m² per kg dependant on substrate. Superflex Membrane is now recommended for bonding mats.

Size	Coverage	Item Code
5kg	10m ²	QT111
10kg	20m ²	QT112
25kg	45m ²	QT113

QFLEX JOINT SEALANT

Gun applied polyurethane joint sealant for sealing joints in between mats.

Size	Coverage	Item Code
310ml	10mm x 10mm Joint = 3.1 ln mts	QT114
600ml	10mm x 10mm Joint = 6 ln mts	QT115
Box of 12	-	QT116

FLEXCREED HT BINDER

Flexible high tensile resin binder for the Flexscreed system.

Size	Coverage	Item Code
5kg	2m ²	QT117
25kg	per 6kg	QT118
220kg	at 20mm	QT119



SUPERFLEX MEMBRANE MAT ADHESIVE

Twin pack thixotropic rubber adhesive for mats and rubber rolls plus final sealer for Flexscreed Sealed System.

Size	Coverage	Item Code
5kg	4.5m ²	QT120
10kg	9m ²	QT121
15kg	13.5m ²	QT122

FLEXISTRENGTH

Twin pack rubber adhesive for bonding rubber rolls.

Size	Coverage	Item Code
10kg	14m ²	QT123

FLOOD COAT

1st seal coat for Flexscreed. Trowel applied

Size	Coverage	Item Code
10kg	7m ²	QT124

FLEXSCREED GALAXY UVR BINDER

Twin Pack UV Resistant binder for Resin Bound Stone.

Size	Coverage	Item Code
6.5kg	3m ² @ 18mm	QT125

Q/SOLVE SMOOTHING AGENT

Solvent cleaner for use on application tools. No smell.

Size	Item Code
5L	QT126
25L	QT127

RUBBER & STONE KITS

FLEXSCREED KITS

Flexscreed rubber screed kits for internal areas such as Stables and external areas such as Yards. Coverage 3m² per kit

The Repair Kit is a resin rich mix for repair of damaged areas


Internal: 5 x 5kg Superflex Membrane + 25kg Rubber Granules

External: 4 x 5kg Superflex Membrane + 25kg Rubber Granules

Repair: 1 x 5kg Superflex Membrane + 5kg Rubber Granules

	Thickness	Weight	Item Code
Internal	12 - 15mm	50kg	QR128
External	12 - 15mm	45kg	QR129
Repair Kit	0.4m ² @ 15mm	10kg	QR130


Q/Seal may be required as primer for dusty porous surfaces



WETPOUR REPAIR KITS

Ready to mix kits for repairing Wetpour surfaces in Playgrounds. Further colours available upon request.


Size/Colour	Coverage	Item Code
15kg/Black	1m ² @ 20mm	QR131
30kg/Black	2m ² @ 20mm	QR132
30kg/Red or Green	1.5m ² @ 20mm	QR133



FLEXSCREED GALAXY UVR KIT

Ready to mix and apply kit with UVR Binder & Stone Coverage Rates: 0.8m² @ 18mm & 1.2m² @ 12mm

Size	Coverage	Item Code
27kg	As above	QR134



FLEXSCREED STONE BLEND KIT

Ready to mix kit for applying Flexscreed Stone Blend.

Kit Consists of:



1 x 1kg Flexscreed Primer

1 x 10kg Flexscreed HT Binder

1 x 25kg Recycled 1-4mm Black EPDM Rubber Granules

1 x 25kg Coloured Stone

Size	Coverage	Item Code
61kg	4m ² @ 20mm	QR135



STABLE MAT BONDED & SEALED KIT

Kit for 12ft x 12ft Stable Comprises of:

6 x 18mm 4Mpa 6ft x 4ft Supermats

1 x 15kg Superflex Membrane Mat Adhesive

6 x 600ml Q/Flex Black Joint Sealant

1 x 1.2m Triangular PVC Doorway Strip

Size	Coverage	Item Code
245kg	1 No 12'x12' Stable	QR136

The Rubber & Resin Specialists

AGGREGATES, RUBBER GRANULES & STONE

ANCILLARIES

BAUXITE AGGREGATE

Guyanese or Chinese Bauxite for scattering over Grip HD.

Size	Coverage	Item Code
25kg	Approx 4m ²	QR137

RUBBER GRANULE BAGS

For use with our resin binders in the Flexscreed systems.

Colour	Weight	Item Code
SBR Black	25kg	QR138
Recycled EPDM Black	25kg	QR139
Red	25kg	QR140
May Green	25kg	QR141
Reseda Green	25kg	QR142
Rainbow Green	25kg	QR143
Light Grey	25kg	QR144
Mid Grey	25kg	QR145
Slate (Dark) Grey	25kg	QR146
Sky Blue	25kg	QR147
Dark Blue	25kg	QR148
Earth Blend	25kg	QR149

Further colours available upon request.

FLEXSCREED GALAXY STONE & SAND

Dry coloured stone to mix with Flexscreed Galaxy Binder.

Stone Size	Weight	Item Code
1-3mm	25kg	QR150
2-5mm	25kg	QR151
C52 Sand	6.25kg	QR152

PLASTORIT

Fine aggregate for adding to resin coatings for grip finish.

Size	Coverage	Item Code
1kg	N/A	QR153

Coating Application	Item Code
9" Roller Tray	QR154
15" Roller Tray	QR155
9" Roller Cage	QR156
12" Roller Cage	QR157
Extender Pole (Red) 2m	QR158
9" Roller Sleeve	QR159
12" Roller Sleeve	QR160
2" Brush	QR161
4" Brush	QR162
50mm Masking Tape Roll	QR163

Application Tools	Item Code
Barrel Gun For Application of Q/Flex Sausages	QR164
9" Spiked Roller For use with Q/Level	QR165
Rubber Groover 240v	QR166
Grooving Blades - Pack of 20	QR167

Fixings per 100	Item Code
Heavy Duty Fixings & Washers For fixing Rubber Mats	QR168
Hammer Fixings Standard 6/50 For fitting Eva Wall Mats (20 per mat)	QR169
Hammer Fixings Stainless 6/60 Non Rusting	QR170
Nylon M6 Washers For fitting EVA Wall Mats (20 per mat)	QR171
Plastic Ties for Connecting Hollow Mats	QR172
150mm PVC Peg for Fixing Down Hollow Mats	See page 4



QUATTRO®

The Rubber & Resin Specialists

DELIVERY OF MATERIALS

Materials will be dispatched by our haulier on pallets or by courier if smaller orders.

Delivery charges vary depending on quantity and location.

An average single pallet charge is £55.00 + vat and a double pallet £75.00 + vat

Means to offload the materials will be required

Please Note: Tail Lift Deliveries of Double Pallets will cost £25 extra each.

Please ring or email us for exact delivery charges if unsure.



If you can't find the product you require in this catalogue

Please contact us

Data Sheets available for all products on request

Quattro Products Limited, Milestone House Ind Est, Penrith, Cumbria, CA11 9NQ

Tel: 01768864977 Email: enq@quattorubberandresin.co.uk Web: www.quattorubberandresin.co.uk